

VERDOOR

Life is Emotions

GARAGE DOOR CATALOGUE



We bring extreme Emotions together

We produce sectional doors that incite emotions.

We stand in opposition to the world of mass production and create exceptional garage doors contrary to common tendencies. Life is continuous emotions that inspire the best architects.

Our unique Steel & Gold collection combines two eternal extremities – steel and gold. This is how exclusive doors have been created, bearing the noble VERDOOR mark with 24-carat gold. Doors designed to stir up emotions.

Meet the VERDOOR brand and discover the secret of unparalleled determination in creating beautiful and reliable things. Our life is a series of extreme emotions where surprising combinations become an art.

The art of combining – the alchemy of VERDOOR.



Perfection of detail

FOR MANY YEARS AHEAD

In door mechanics, the quality and precision of each component has a real impact on the time between failures. Inexorable laws of physics impacting the door in opening cycles are the best test for our solutions. We produce doors ready for many years of operation. We are sure that half a century later they will still be as reliable as ever.

WE WORK WITH THE BEST

VERDOOR doors are factory-integrated with an automation system from the German company SOMMER. Advanced operators allow the functionality to be expanded with systems such as the light curtain, precision parking laser or communication with home alarm.

TWICE AS GOOD

As in aviation technology, all key components of our design have been doubled. Two shot-peened springs and two breaking protection devices, additional hinge rows, aluminium profile-reinforced panels, an extra locking bolt and many other double components come as a standard in each door.

WHATEVER HAPPENS

Our doors are marked with a code containing information that allows all spare parts to be identified and supports the provision of necessary data to maintenance teams. We always guarantee the availability of parts which are supplied to customers all over Europe.



ALL THESE COME AS A STANDARD WITH EACH VERDOOR DOOR



HOT-DIP ZINC-COATED GUIDE RAILS

Solid and precision-profiled guide rails ensure the secure running of the door and stable mounting of all components to the garage structure. We use guide rails of thick sheet metal selected individually to the garage size.



CABLE BREAK PROTECTION

Each VERDOOR door with an area of more than 9 m² is equipped with two certified cable break protection devices which, together with the spring break protection, form VERDOOR's double security system.



ARM MOUNTING BRACKET

During many years of repeated operation, the VERDOOR door is lifted and lowered so that the operator pull force is distributed evenly through an aluminium profile over the full width of the upper section.



TOP ALUMINIUM PROFILE

The top aluminium profile protects the door panel from deformation and distributes the operator pull force. The roller holder of any operator is always mounted to the profile in a stable manner. It is a proven solution for many years of repeated lifting.



BOTTOM ALUMINIUM PROFILE

A special aluminium profile braces the structure and protects the lower section of the garage door from harmful effect of road salt and accidental edge damage caused by inadvertent manual closing.



STRUCTURAL FRAMEWORK

Sections in VERDOOR doors are linked by rows of strong and precision-made central hinges. Our doors from 2 m in width come fitted with a row of central hinges, and the door structure is strengthened by their additional rows with an increase of width.

GET IT TWICE AS GOOD!



SIDE ROLLERS AND HINGES

Ball-bearing rollers made of high-strength polyamide PA 6G guarantee quiet operation of the door. Owing to the integration of rollers with high-quality side hinges, our doors feature precise adjustment of seal tightness.




SILENT OPENING

A set of holders is protected at the interface with the roller axle by a special insert that prevents knocking and metal friction noises. This unique solution guarantees our doors always open silently.



SIDE LOCKING BOLT

Each VERDOOR door is equipped with a massive side locking bolt that provides additional secure door closure during a longer absence. A strong mechanism blocks the locking bolt securely in the side guide rail.



TWO REINFORCED SPRINGS

Two quality shot-peened springs and two spring break protection devices. A twin set used for highly precise balancing of the door weight and to increase the precision adjustment range.



PERIMETER SEALS

All the edges of the VERDOOR door are protected by a special system of seals designed for the weather conditions prevailing in Poland. Be it frosty winter or hot summer, VERDOOR doors offer structural tightness unrivalled in the market.



ADDITIONAL REINFORCEMENTS

Two steel profiles mounted to the end sections are part of the structural framework of doors above 4.5 m in width. The solution ensures protection from panel sagging. After many years, the structure will still remain stable.

WEARDOR

GOLD-SIGNED DOORS
Steel&Gold Exclusive Collection





IN AN ELITE CLUB

Steel & Gold collection of doors bearing the noble VERDOOR logo with 24-carat gold. An automatic garage door for demanding customers. Choose the exclusive door from the limited series and create your first intelligent garage.

20 CENTIMETRES PER SECOND!

The set features advanced automation from the German company SOMMER which lifts the door with a speed of 20 cm per second. In addition, a laser car positioning function ensures precision parking. An exceptionally durable operator tested in high traffic density environments.

OPTICAL CURTAIN

A gate equipped with optical safety bars hidden along side guide rails. The door stops if any object appears in the closing path. 100% safety for people and vehicles.


SPECIAL SPRING SYSTEM

Shot-peened springs designed for extreme service guarantee a minimum of 30,000 door opening cycles. Simply three times more without replacement. Reliability and low running costs of the VERDOOR Steel&Gold door make it the right choice for those who value time and comfort of use.



SUPREME QUALITY SURFACE

24 CARAT PURE GOLD PLATED LOGO



PLAIN

ANTHRACITE RAL 7016



PLAIN

ANTHRACITE RAL 7016



INSPIRED BY NATURE

The VERDOOR **ArtDeco** door collection is inspired by the Art Deco style which has become a symbol of timeless elegance. The door surface finishes perfectly represent the character and colour of natural wood – oak, walnut or mahogany. Choose classical elegance in a modern edition.

TRADITION AND MODERNITY

Owing to the latest sheet metal polyester film coating technology, the surface of the ArtDeco collection doors has all the aesthetics of real timber. Beautiful and UV-resistant panels will be the pride of any building for many years.

NOBILITY OF WOOD

The secret of the **Art Deco** aesthetics is hidden in the refined art of decoration with refined wood types. Following this idea, the surfaces of ArtDeco doors are decorated with durable and realistic film coating with colours and woodgrain patterns that reflect the character of the finest wood grades.


5 YEARS' WARRANTY

We always use the finest materials for production and therefore confirm the quality of VERDOOR doors by a five-year warranty. We are obsessed with reliability. Whatever we do, we always do it as if it were for ourselves. We prove this to our customers every day.



ArtDeco Collection

VERDOOR PANEL PATTERNS



PLAIN

GOLDEN OAK



PLAIN

GOLDEN OAK



PLAIN

WINCHESTER



PLAIN

ANTHRACITE 3D RAL 7016



PLAIN

WENGE



PLAIN

MAHOGANY



PLAIN

WALNUT

ON THE MODERNIST NOTE

The VERDOOR RedCross door collection is our concept of Modernism-inspired patterns. Simple, monochromatic aesthetics underpins the excellence of form. The colours from the RedCross collection provide a perfect background to other elements of building architecture.

FREEDOM OF CHOICE

An unlimited choice of individual colours from the RAL colour range. The painting process is performed in a paint chamber in compliance with automotive industry standards. We guarantee a perfect effect on each painted panel.

MASTERS' WORK

Our latest RedCross collection is created with VERDOOR panels manufactured in Switzerland. The **Polygrain** sheet metal coating made with utmost care enhances resistance to fine scratches and masks finger marks on panel surfaces.


5 YEARS' WARRANTY

Whatever we do, we always do it as if it were for ourselves. We have confidence in our reliability. The quality of our VERDOOR sectional doors is confirmed by a five-years' warranty carried by each manufactured unit.




RedCross Collection

VERDOOR PANEL PATTERNS



PLAIN/POLYGRAIN WHITE RAL 9016



PLAIN/POLYGRAIN WHITE RAL 9016



PLAIN ANY RAL



PLAIN/POLYGRAIN ANTHRACITE RAL 7016



PLAIN BROWN RAL 8014



WOODGRAIN BROWN RAL 8014



PLAIN/POLYGRAIN ANTHRACITE RAL 7016

VERDOOR RedCross **DOOR**

0.5 mm SHEET METAL

Exceptionally thick, hot-dip zinc coated outer sheet metal forms part of the insulated door panel of 40 mm in thickness and an impressive weight of 6.12 kg/m for h=600 mm.

POLYGRAIN COATING

Panels coated with polyamide amine resin paint with micro grains increasing scratch resistance and masking finger marks.

FINE STEEL LOGO

An exclusive detail made of polished 316L surgical steel resistant to extreme weather conditions.



WHAT YOU MUST KNOW ABOUT **VERDOOR DOORS**



THREE COLLECTIONS TO ANY SIZE

Three exclusive door collections prepared on the basis of timeless trends in architecture. Our design draws on the main currents of functional art. Unique design and advanced automation.

LEAD TIMES

We are focused exclusively on the production on sectional doors and therefore can guarantee our Distributors lead times of 10 days or less.

TECHNICAL ASSISTANCE AND SPARE PARTS

Our technicians have been available for 30 years to serve customers on the same phone number: +48 22 789 40 13. We run our own spare parts warehouse for all manufactured sectional doors.

UNIQUE STRUCTURAL DESIGN


Rigid structural framework of the door based on VERDOOR panels made in Switzerland. Top quality mechanical components and strict control of manufacturing processes.

FAIR PRICES

Simple pricelists. Three collections, three prices tailored to your capabilities. Most accessories included in door price. Holders, bolts or additional seals always come as a standard.

DISTRIBUTION

Retail sales in Poland and Europe through a network of VERDOOR Authorised Distributors. Information on sales outlets on the manufacturer's website.



- Lintel height from 350mm
Single horizontal guide rails
Springs on lintel

- Lintel height: 200-350mm
Double horizontal guide rails
Springs on lintel

- Lintel height: 150-200mm
Double horizontal guide rails
Springs in the rear on guide rails

SOLUTIONS FOR ANY SITUATION

In low or high garages, with a flat or sloping ceiling, we will always find the right guiding gear for your garage door. The VERDOOR guidance systems are based on solid and durable structural components made from thick galvanized sheet metal.

DOOR DIMENSIONS AND TECHNICAL REQUIREMENTS

We manufacture garage doors to your individual dimensions. VERDOOR door panels are offered in standard patterns and colours. Optionally, your door can be painted in any colour of the full RAL chart.

Panel dimensions:	h = 500 or 610 mm
Panel thickness:	40 mm
Insulation:	PU foam type 100% CFC & HCFC free
Texture:	plain or woodgrain (wood texture)
Finish:	Polyester laminate or Polygrain paint
Sheet metal thickness:	ArtDeco 0.45, RedCross/Steel&Gold 0.60 mm
Panel U-value:	0.50 W/m2K
Sound insulation:	25 dB
Zinc coat layer:	250 g/m
Inner colour:	White RAL 9010 Stucco

Standard lintel:	200 mm
Min. lintel:	140 mm
Min. side walls:	120 mm
Max. width:	6,000 mm
Shot-peened springs:	min. 15,000 cycles
Steel&Gold springs:	min. 30,000 cycles

DOOR ACCESSORIES

Door collection	REDCROSS	ARTDECO	STEEL&GOLD
	panels	panels	Exclusive gold
STANDARD	painted	laminated	signed series
shot-peened spring set: min. 15,000 cycles	●	●	—
shot-peened spring set: min. 30,000 cycles	○	○	●
spring breaking protection	●	●	●
cable breaking protection	●/○ ₁	●/○ ₁	●
elastomer seals to door perimeter	●	●	●
silent roller holders	●	●	●
top and bottom edge reinforced	●	●	●
with aluminium profile			
central hinge system	●	●	●
– 1,400 maximum spacing			
side bolt	●	●	●
handle	●	●	●
steel reinforcement to door panels	●/○ ₂	●/○ ₂	●/○ ₂
EXTRAS			
140-200 mm low lintel set	○	○	○
central lock with door handle	○	○	—
window	○	○	—
panel painting to any RAL colour	○	○	—
garage door operator	○	○	●
side door - second garage entrance	○	○	—



GARAGE DOOR AUTOMATION



System model	SOMMER	CAME	SOMMER extra
	system	system	system
STANDARD	German	Italian	German
(forms part of the system)			
operator with built-in control unit	●	●	●
radio receiver	●	●	●
rail w/chain	●	●	●
rail w/Kevlar belt	—	○	—
2 remote control units	●	●	●
indoor button	●	○	●
quick opening - 20 cm/s	—	—	●
EXTRAS			
extra remote control	○	○	○
emergency release	○	○	○
photo cells	○	○	○
universal radio	○	○	○
warning lamp	○	○	○
code keypad	○	○	○
key switch	○	○	○
rail extension	○	○	○
light curtain	—	—	○
moisture sensor	—	—	○
audible motion sensor	—	—	○
light motion sensor	—	—	○
laser parking position indicator	—	—	○
drive lock	—	—	○
extra lighting	—	—	○

HISTORY OF OUR **PASSION**

In 1986, ambitious engineer Tadeusz Aninowski designed the first sectional door in Poland. He made and improved all door components on his own in his home workshop. Three years later, he demonstrated his GADIP door at a construction fair in Warsaw. This historic event was covered by Murator building magazine No 12 of 1988.

The business partnership initiated in 1994 between GADIP and the American door manufacturer RAYNOR GARAGE DOORS made it possible to develop methods for the manufacture of modern garage doors and construction of large industrial doors. 2000 saw the launch of our assembly lines for doors with polyurethane foam-filled panels which became the basis for the manufacture of new generation sectional doors.

In 2004, a new plant was built in Sobienie near Warsaw, and increased manufacturing capacity allowed a long-term contract to be signed for the supply of products to the Netherlands.



VERDOOR

FUTURE OF OUR **BRAND**

After 25 years in business, time came for a generation change in GADAP. Since 2011, production started by the father has been developed by his son Paweł Aninowski. The new owner reorganized the company and created the VERDOOR brand continuing the family tradition of sectional door production.

In 2012, we implemented an advanced factory management model which, backed by IT solutions, enhanced customer service standards. The management of VERDOOR was taken over by Joanna Aninowska whose professional experience and determination in the production of reliable doors has won recognition of many customers in Europe.

Nobody is good by accident. We consciously create garage doors that must serve customers as long as their house exists. For 30 years, our products have been operating reliably in tens of thousands of homes and industrial facilities. Through our hard daily work we are creating a new history of the VERDOOR brand.

We bring extreme Emotions together

FABRYKA BRAM VERDOOR
VERDOOR DOOR FACTORY

Biuro Handlowe: ul. Graniczna 19a, 05-410 Józefów, Poland
Sales Office: ul. Graniczna 19a, 05-410 Józefów, Poland

tel. +48 22 789 60 90 +48 22 789 40 13
phone +48 22 789 60 90 +48 22 789 40 13

VERDOOR ® is a registered trademark. All rights to all materials contained in this publication are reserved. Copying and distributing the content it in any form without permission is prohibited. Any violation of copyrights is subject to legal liability as stipulated, in particular, under the Act on copyright and related rights, the Act on combating unfair competition and the Civil Code.